


# SHAKER

## PRIMED 1 PANEL

### – INTERNAL DOOR



## SPECIFICATIONS

### Veneer Species:

MDF double coat primed

### Veneer Thickness:

2.5mm

### Edge Lippings:

8mm paint grade timber

### Top & Bottom Lippings:

8mm paint grade timber

### Panel Thickness:

9mm MDF

### Profile:

90° square

### Stile & Rail Core:

Particle board

### Construction:

Tongue & groove joint with dowel and glue

### Glazing:

N/A

### Packaging:

Shrinkwrap with plastic edge corner protectors.

A4 paper fitting instruction




5 year guarantee  
against manufacturing  
defects

# SHAKER

## PRIMED 4 PANEL

### – INTERNAL DOOR



## SPECIFICATIONS

### Veneer Species:

MDF double coat primed

### Veneer Thickness:

2.5mm

### Edge Lippings:

8mm paint grade timber

### Top & Bottom Lippings:

8mm paint grade timber

### Panel Thickness:

9mm MDF

### Profile:

90° square

### Stile & Rail Core:

Particle board

### Construction:

Tongue & groove joint with dowel and glue

### Glazing:

N/A

### Packaging:

Shrinkwrap with plastic edge corner protectors.


A4 paper fitting instruction



5 year guarantee  
against manufacturing  
defects

# SHAKER

## PRIMED 1 LIGHT OBSCURE GLAZED – INTERNAL DOOR



### SPECIFICATIONS

**Veneer Species:**

MDF double coat primed

**Veneer Thickness:**

2.5mm

**Edge Lippings:**

8mm paint grade timber

**Top & Bottom Lippings:**

8mm paint grade timber

**Panel Thickness:**

N/A

**Profile:**

90° square

**Stile & Rail Core:**

Particle board

**Construction:**

Tongue & groove joint with dowel and glue

**Glazing:**

4mm etched toughened

**Packaging:**

Shrinkwrap with plastic edge corner protectors.



A4 paper fitting instruction



10 year guarantee  
against manufacturing  
defects

# SHAKER

## PRIMED 4 LIGHT CLEAR GLAZED – INTERNAL DOOR



### SPECIFICATIONS

**Veneer Species:**

MDF double coat primed

**Veneer Thickness:**

2.5mm

**Edge Lippings:**

8mm paint grade timber

**Top & Bottom Lippings:**

8mm paint grade timber

**Panel Thickness:**

N/A

**Profile:**

90° square

**Stile & Rail Core:**

Particle board

**Construction:**

Tongue & groove joint with dowel and glue

**Glazing:**

4mm clear toughened

**Packaging:**

Shrinkwrap with plastic edge corner protectors.


A4 paper fitting instruction



5 year guarantee  
against manufacturing  
defects

# SHAKER

## PRIMED 10 LIGHT CLEAR GLAZED – INTERNAL DOOR



### SPECIFICATIONS

**Veneer Species:**

MDF double coat primed

**Veneer Thickness:**

2.5mm

**Edge Lippings:**

8mm paint grade timber

**Top & Bottom Lippings:**

8mm paint grade timber

**Panel Thickness:**

N/A

**Moulding Size & Profile:**

10mm Ovolo

**Stile & Rail Core:**

Particle board

**Construction:**

Tongue & groove joint with dowel and glue

**Glazing:**

4mm clear toughened

**Packaging:**

Shrinkwrap with plastic edge corner protectors.

A4 paper fitting instruction


7	10	Glass Size	318.4 x 263 x 5
6	10	Glass Opening	321.4 x 266
5	4	Horizontal G. Bars	554 x 42 x 35
4	1	Vertical G. Bars	1695 x 42 x 35
3	1	Bottom Rail	554 x 199 x 35
2	1	Top Rail	554 x 114 x 35
1	2	Stiles	1988 x 114 x 35
ITEM	QTY	PRODUCT CODE	SIZE



10 year guarantee  
against manufacturing  
defects

# SHAKER

## PRIMED 15 LIGHT CLEAR GLAZED – INTERNAL DOOR



### SPECIFICATIONS

**Veneer Species:**

MDF double coat primed

**Veneer Thickness:**

2.5mm

**Edge Lippings:**

8mm paint grade timber

**Top & Bottom Lippings:**

8mm paint grade timber

**Panel Thickness:**

N/A

**Moulding Size & Profile:**

10mm Ovolo

**Stile & Rail Core:**

Particle board

**Construction:**

Tongue & groove joint with dowel and glue

**Glazing:**

4mm clear toughened

**Packaging:**

Shrinkwrap with plastic edge corner protectors.

A4 paper fitting instruction

7	15	Glass Size	318.4 x 167 x 5
6	15	Glass Opening	321.4 x 170
5	4	Horizontal G. Bars	554 x 42 x 35
4	2	Vertical G. Bars	1695 x 42 x 35
3	1	Bottom Rail	554 x 199 x 35
2	1	Top Rail	554 x 114 x 35
1	2	Stiles	1988 x 114 x 35
ITEM	QTY	PRODUCT CODE	SIZE



10 year guarantee  
against manufacturing  
defects