



**DOOR  
FRAMES  
GUIDE**



# CHOOSING EXTERIOR DOOR FRAMES

All exterior door frames are designed for long-lasting performance and easy installation.

- Assembled oak veneer door frames are available to complement oak Stormsure window ranges and oak external doors. These are made to order. Flat pack oak veneer door frames are available from stock, see page 7.
- Manufactured from quality redwood and oak veneer with hardwood sills as standard where applicable
- Rebated to suit 44mm doors
- 170mm standard sill
- 140mm optional sill
- Fitted heavy duty PVC water bar (not on mobility frames)
- Supplied with a harmonising basecoat stain ready for on-site finishing (excluding flat pack oak)
- Fully finished door frames available to special order.
- Factory-glazed front entrance frames available to special order including PATT 70, PATTSC, Vertical Bar, see page 5.
- Factory-glazed fixed top lights available on storey height frames available to special order.
- Not all JELD-WEN door designs are compatible with the door frame range, please check before ordering.

## Door frame and threshold

Building Regulations Approved Document M Mobility Amendment requires disabled access into buildings to be over a threshold no higher than 15mm (as illustrated on page 4).

## Mobility

Mobility door frames are supplied with a threshold pack. This pack is loose and requires on-site fixing. Head packers are available to order if required.

## Range guide

Assembled	Softwood	Hardwood	Oak
Sill	✓		✓
No Sill	✓	✓	
Mobility	✓		✓
FD30	✓		
FD60		✓	

Unassembled	Softwood
Sill	✓
No Sill	✓
Mobility	✓
Garage	✓

## Hardwood finishes



Basecoat stain for site finishing (Standard)



Baltic Hi-Build stain, factory finished


## Softwood finishes



Basecoat stain for site finishing (Standard)



Primed (grey) for site finishing



Hi-Build white, factory finished

## Oak finishes



Basecoat stain for site finishing (assembled oak frames only - Standard)



Unfinished for site finishing (flatpack only - Standard)



Dark Oak Hi-Build stain, factory finished



Golden Oak Hi-Build stain, factory finished

Finishing options shown are for guidance purposes only. There may be some variation to the finished product supplied.



## Optional finishes

For extra durability we strongly recommend that you purchase primed door frames for external use. Primed frames are guaranteed for 3 months, base coat stained frames are guaranteed for 1 month before site decoration is required. Please state 'primed' or 'stained' when ordering.



# ASSEMBLED DOOR FRAMES

## WEATHERSTRIPPED - WITH SILL



Door Sizes (mm) WxH	Frame Width	Frame Height 2076mm				Frame Height 2127mm			
		Inward Opening		Outward Opening		Inward Opening		Outward Opening	
		Code	Price	Code	Price	Code	Price	Code	Price
<b>Softwood</b>									
914x1981	1006mm	FN30M	£144.44	FX30M	£144.44				
838x1981	930mm	FN29M	£140.04	FX29M	£140.04				
813x2032	905mm					FN28M	£139.91	FX28M	£139.91
762x1981	854mm	FN26M	£135.64	FX26M	£135.64				
686x1981	778mm	FN23M	£131.25	FX23M	£131.25				
<b>Hardwood</b>									
914x1981	1006mm	FN30MH	£302.24	FX30MH	£302.24				
838x1981	930mm	FN29MH	£296.17	FX29MH	£296.17				
762x1981	854mm	FN26MH	£290.09	FX26MH	£290.09				
<b>Oak</b>									
914x1981	1006mm	OFN30M	£394.50	OFX30M	£394.50				
838x1981	930mm	OFN29M	£392.29	OFX29M	£392.29				
813x2032	905mm					OFN28M	£385.20	OFX28M	£385.20
762x1981	854mm	OFN26M	£389.58	OFX26M	£389.58				

## WEATHERSTRIPPED - NO SILL




(Image shown with sill option)

Door Sizes (mm) WxH	Frame Width	Frame Height 2031mm*		Frame Height 2082mm*	
		Inward and Outward Opening		Inward and Outward Opening	
		Code	Price	Code	Price
<b>Softwood</b>					
914x1981	1006mm	F30	£112.50		
838x1981	930mm	F29	£110.37		
813x2032	905mm			F28	£110.99
762x1981	854mm	F26	£108.24		
686x1981	778mm	F23	£106.11		
<b>Hardwood</b>					
914x1981	1006mm	F30H	£267.37		
838x1981	930mm	F29H	£263.56		
762x1981	854mm	F26H	£259.75		


\*Suitable for use with separate threshold.

## WEATHERSTRIPPED - MOBILITY




Door Sizes (mm) WxH	Frame Width	Frame Height 2086mm		Frame Height 2395mm		Frame Height 2041mm		Frame Height 2395mm	
		Inward Opening		Inward Opening Plus Glazing Options		Inward and Outward Opening		Inward and Outward Opening Plus Glazing Options	
		Code	Price	Code	Price	Code	Price	Code	Price
<b>Softwood</b>									
914x1981	1006mm	FN30M-MOB	£165.94	VFN30M-MOB	£228.61	F30M	£112.76	VF30M	£180.69
838x1981	930mm	FN29M-MOB	£162.09	VFN29M-MOB	£223.01	F29M	£110.63	VF29M	£176.69
<b>Hardwood</b>									
914x1981	1006mm	FN30MH-MOB	£324.39	VFN30MH-MOB	£412.12	F30MH	£268.28	VF30MH	£364.00
838x1981	930mm	FN29MH-MOB	£318.87	VFN29MH-MOB	£403.54	F29MH	£264.47	VF29MH	£357.02
<b>Oak</b>									
914x1981	1006mm	OFN30M-MOB	£427.63	*Extended jambs to allow mobility threshold up to 14mm high.					
838x1981	930mm	OFN29M-MOB	£424.03						

## WEATHERSTRIPPED - FRENCH CASEMENT (PAIRS)



Door Sizes (mm) WxH	Frame Width	Frame Height 2076mm			
		Inward Opening		Outward Opening	
		Code	Price	Code	Price
<b>Softwood</b>					
2no. 762x1981	1604mm	FN40115M	£188.92	FX40115M	£188.92
2no. 838x1981	1756mm	FN5055M	£197.71	FX5055M	£197.71
1 pair 1168x1981	1260mm	FN310M	£159.13	FCP126310	£159.13

**Vertical section of door frame**  
(Diagram shown not to scale).




# ASSEMBLED DOOR FRAMES

## FRONT ENTRANCE DOORS

When ordering, please state "as catalogue" or "opposite catalogue",  
 "as catalogue" means the side light is on the left when viewed from the outside.

### WEATHERSTRIPPED - DOORS OPEN INWARDS (UNGLAZED AS STANDARD)




Door Sizes (mm) WxH	Frame Width	Frame Height 2086mm		Frame Height 2086mm		Frame Height 2086mm		Frame Height 2086mm	
		Code	Price	Code	Price	Code	Price	Code	Price
<b>Softwood</b>									
838x1981	1195mm	FE120029	£234.18			FER120029	£277.24		
838x1981	1345mm	FE135029	£253.38			FER135029	£303.67		
838x1981	1495mm	FE150029	£263.34			FER150029	£320.87	FERD150029	£349.46
838x1981	1645mm	FE165029	£273.29	FED165029	£273.52	FER165029	£338.06	FERD165029	£366.65
838x1981	1795mm	FE180029	£283.25	FED180029	£283.48	FER180029	£355.26	FERD180029	£383.85
838x1981	2095mm			FED210029	£313.73			FERD210029	£428.57

\*Side lights are available left hand (shown above) or right hand when viewed from the outside. Please specify handing at time of order.  
 If not specified side lights will be supplied lefthand.

### Factory glazing

We can supply front entrance frames factory-glazed with a variety of different glass types.

### Factory glazed options




PATT 10  
(1 light)

PATT SC  
(10 light)

PATT 70  
(4 light)

Vertical Bar



### Mobility

We supply entrance frames (838mm door size) fitted with 170mm mobility sills. With these frames, we supply a low-level threshold loose for on-site fitting.




# ASSEMBLED DOOR FRAMES

## FIRE DOORS

We offer a choice of softwood 30-minute and hardwood 60-minute fire resisting door frames suitable for internal and external use. Both are fitted with 15mm x 4mm intumescent strips as standard. All rebates are 12mm deep, and the frames are tested in compliance with BS 476 Part 22.

**30-minute fire resisting door frame fitted with intumescent strip.** Our FD30 door frame suits a 44mm (1¾") thick door. Frames available from stock are fitted with one set of 15mm x 4mm intumescent strip. Frames fitted with one set of 15mm x 4mm intumescent strip with a smoke seal are available to order or a 25mm intumescent strip and smoke seal.

### 30 MINUTE FD30 FIRE RESISTING DOOR FRAMES – WITH INTUMESCENT STRIP



Door Sizes (mm) WxH	Frame Width	Frame Height 2030mm No sill - open in or out		Frame Height 2074mm Standard sill 140mm - open in		Frame Height 2059mm Flush sill 78mm - open in or out	
		Frame fitted with:					
		Intumescent strip only	Intumescent strip / smoke seal	Intumescent strip only	Intumescent strip / smoke seal	Intumescent strip only	Intumescent strip / smoke seal
<b>Softwood</b>							
762x1981	851mm	DF26FCA2 £120.02	SDF26FCA2 £120.02	DF26FCA1 £132.40	SDF26FCA1 £132.40	DF26FCA3 £131.93	SDF26FCA3 £131.93
813x2032	901mm	DF28FCA2 £123.13	SDF28FCA2 £123.13				
838x1981	927mm	DF29FCA2 £122.29	SDF29FCA2 £122.29	DF29FCA1 £135.55	SDF29FCA1 £135.55	DF29FCA3 £135.08	SDF29FCA3 £135.08
<b>Frame Height 2089mm</b>							
Metric 726x2040	815mm	DF726FCA2 £161.40	SDF726FCA2 £161.40				
Metric 826x2040	915mm	DF826FCA2 £123.76	SDF826FCA2 £123.76				
Metric 926x2040	1015mm	DF926FCA2 £126.74	SDF926FCA2 £126.74				



**60-minute fire resisting door frame fitted with smoke and intumescent seal/strips.** This FD60 door frame suits a 54mm (2¼") thick door. Fitted with one set of 15mm x 4mm intumescent strip with a smoke seal and one set of 15mm x 4mm intumescent strip.

### 60 MINUTE FD60 FIRE RESISTING DOOR FRAMES – WITH INTUMESCENT STRIP




Door Sizes (mm) WxH	Frame Width	Frame height 2030mm		Frame height 2081mm		Frame height 2089mm	
		No sill - Open in or out Frame fitted with intumescent strip / smoke seal					
		Code	Price	Code	Price	Code	Price
<b>Hardwood</b>							
762X1981	851mm	DF26FCA4	£237.67				
813X2032	901mm			DF28FCA4	£244.53		
838X1981	927mm	DF29FCA4	£241.94				
Metric 726X2040	815mm					DF726FCA4	£280.87
Metric 826X2040	915mm					DF826FCA4	£245.89
Metric 926X2040	1015mm					DF926FCA4	£251.51

# FLAT PACK DOOR FRAMES

## DOORS AND GARAGE DOORS

### DOOR FRAMES

- Oak option to suit range of oak doors and windows
- Easily assembled on-site
- Oak frames supplied unfinished ready for painting or staining
- Weatherstripped
- 170mm sill



Softwood frame

Oak frame  
(Weatherstrip and water bar supplied loose)

### DOOR FRAMES - WEATHERSTRIPPED

Door Sizes (mm) WxH	Frame Width	Frame Height 2076mm		Frame Height 2127mm		Frame Height 2086mm		Frame Height 2031mm		Frame Height 2082mm	
		Inward/Outward Opening Reversible Sill	Inward/Outward Opening Reversible Sill	Inward Opening Mobility	Inward & Outward Opening No Sill	Inward & Outward Opening No Sill	Code	Price	Code	Price	
<b>Softwood</b>											
838x1981	930mm	PFN29M	£140.04			PFN29M-MOB	£162.09	PF29	£110.37		
813x2032	905mm			PFN28M	£139.91					PF28	£110.99
762x1981	854mm	PFN26M	£135.64					PF26	£108.24		
<b>Oak</b>											
914x1981	1006mm	PFN30MO	£383.09			PFN30MO-MOB	£416.22				
838x1981	930mm	PFN29MO	£380.88			PFN29MO-MOB	£412.63				
813x2032	905mm			PFN28MO	£373.79						
762x1981	854mm	PFN26MO	£378.18								

### GARAGE DOOR FRAMES

When assembled the frames suit the door openings of the sizes shown.

They are intended for use with wood, GRP or steel retractable doors.

When using timber side-hung garage doors, a suitable stop will be required (not supplied).

Door Sizes (mm) WxH	Frame Width	Frame Height	Code	Price
<b>Softwood</b>				
2134x1981	2266mm	2047mm	UF7066NS	£88.58
2134x2134	2266mm	2200mm	UF7070NS	£89.60
2286x1981	2418mm	2047mm	UF7666NS	£92.39
2286x2134	2418mm	2200mm	UF7670NS	£92.06
2438x1981	2570mm	2047mm	UF8066NS	£107.95
2438x2134	2570mm	2200mm	UF8070NS	£108.98
4267x2134	4399mm	2200mm	UF14070NS	£167.21